


Township Nº VI, North Range Nº II, East of 2nd Meridian. Surveyed by Arthur Henrie — 1814.

Total quantity 22.670.22 Acres &c

Description of the Soil on the interior Sectional Lines.

Between Sections	Quality &c
35 & 36	Land Rich & rolling — Timber Sugar, Beech, Ash &c
25.36	ditto
25.26	ditto
24.25	ditto
23.24	Land level. Timber same
13.24	ditto
13.14	Land very Hilly thin Soil
12.13	ditto
11.12	ditto Timber the same Ung[t] Oak & Hickory
1.12	ditto
1.2	ditto
34.35	Land Rolling — Timber Beech, Oak & Hickory
26.35	ditto
26.27	ditto
23.26	ditto
22.23	Land Rolling — Timber Beech, Poplar &c
14.23	ditto
14.15	Land very hilly & very brushy
11.14	ditto
10.11	Land very hilly thin Soil
2.11	ditto
2.3	ditto

Between Sections	
33 & 34	Land Rolling — Timber Oak, Beech, Poplar & Hickory
27.34	ditto
27.28	ditto
22.27	ditto
21.22	ditto
15.21	ditto
15.16	Land very hilly thin Soil
10.15	ditto Timber Oak & Hickory
9.10	ditto Timber Oak & Hickory
3.10	ditto
3.4	ditto
32.33	Land rich. Timber Beech &c
28.33	ditto Timber oak, Beech, Poplar, Ash &c
28.29	ditto
21.28	Land Hilly, Timber Beech, Oak & Hickory
20.21	ditto Timber Oak & Hickory
16.21	ditto
16.17	Land very Hilly thin Soil Timber Oak & Hickory
9.16	ditto
8.9	ditto
4.9	ditto
4.5	ditto

Between Sections	
31 & 32	Land Rolling — Timber Beech, Poplar, Sugar &c
29.32	ditto
29.30	ditto
20.29	Land very hilly & brushy Oak & Hickory
17.20	ditto
17.18	ditto
8.17	ditto
7.8	ditto
5.8	ditto covered with gren briars
5.6	ditto brushy & ditto
6.7	Land Hilly & brushy covered with gren briers
7.18	ditto
18.19	ditto
19.30	ditto
30.31	Land Rolling — Timber Oak, beech, Sugar &c

Township No. 6 North, Range No. 2 East of 2nd Mer.

Posts	Bearing trees	Inches dia.	Courses they bear	Links dist	Quality of the Soil
A	Sugar	16	S 32 E	11	
	Hickory	14	N 14 E	28	
a					
B	W. Oak	12	S 32 E	5	
	B. Oak	10	S 54 W	21	
b					
C	W. Oak	12	N 50 E	11	
	do	20	S 45 E	50	
c					
D	W. Oak	20	S 50 E	24	
	B. Oak	6	N 88 W	32	
d					
E	Beech	20	S 54 E	12	
	do	20	N 28 E	15	
e					
F	Gum	10	S 71 E	27	
	W. Oak	8	S 71 W	23	
f					
G	Beech	16	S 13 W	26	G to H. Very hilly &
	W. Oak	16	N 53 W	51	brushy. Thin soil
g	Hickory	10	S 1 E	39	
H	Sugar	12	S 4 W	30	H to I. very high hills,
	Beech	10	N 86 E	11	
h	B. Oak	6	S 41 E	21	soil thin. Oak & Hickory
	do	8	N 23 E	10	
I	Gum	12	S 9 E	32	I to K. Same
	B. Oak	8	N 9 W	54	
i	Sugar	10	N 25 W	48	
	do	6	N 63 E	32	
K	W. Ash	6	N 38 W	2	K to L. Rolling. Oak & Hickory
	Dogwood	6	S 78 E	2	
k	Beech	12	S 1 E	41	
	Dogwood	6	S 58 W	13	
L	Beech	15	S 9 W	20	L to M. Good farming Land
	do	15	S 70 W	12	Beech, Sugar & Poplar
l	do	10	S 58 E	13	
	Dogwood	5	N 66 W	20	
M	Beech	15	S 11 W	32	M to N. Land Rolling
	do	15	N 24 W	12	Beech. Sugar & Poplar
m	Sugar	12	N 61 W	22	
	Ironwood	6	N 71 E	21	
N	Beech	15	N 85 W	28	N to O. Land Rolling
	do	28	N 85 E	28	Beech. Poplar &c
n	Beech	10	N 11 W	20	
	do	10	N 2 E	32	
O	Dogwood	6	S 12 W	21	O to P. Land brushy & Hilly
	Honeywood	6	S 80 W	20	Timber the same
o	Beech	12	N 28 W	12	
	do		S 77 W	37	
P	Beech	20	S 59 E	14	P to Q. —
	do	10	N 13 W	29	
P	W. Walnut	10	N 2 E	9	
	Sugar	10	S 59 E	19	
Q	Beech	12	S 43 E	13	Q to R. Good for farming
	Sugar	12	N 71 W	32	Beech. Sugar. Oak &c
q	Beech	12	S 43 W	2	
	Gum	12	N 53 E	9	
R	Beech	12	N 71 E	29	R to S. Same
	do	12	N 11 E	7	
r	Sassafras	8	S 80 E	27	
S	Beech	12	S 69 W	8	
	Ironwood	6	N 85 E	13	S to T. Land rich
	Dogwood	8	N 44 W	5	sugar. Beech &c
s	Beech	8	N 39 W	6	
	do	8	S 69 W	36	
T	Beech	12	N 50 W	7	
	do	24	S 16 E	26	
t					
U	Beech	20	N 32 E	16	
	do	10	S 57 W	16	
u					
V	W. Oak	12	N 73 E	12	
	Beech	18	N 20 W	4	
v					
W	W. Oak	20	West	1	
	Beech	10	N 10 E	17	
w					
X	W. Oak	20	N 71 E	32	
	do	20	S 49 W	25	
x					
Y	W. Oak	10	N 55 E	12	
y	B. Oak	10	S 6 W	19	

Interior Sectional Corners described

Section Corners	Bearing trees	Inches dia.	Courses they bear	Links dist.
25.26.35.36	Beech	20	S 6 W	33
	Dogwood	6	N 77 E	3
23.24.25.26	Beech	10	S 26 E	5
	do	24	S 35 W	40
13.14.23.24	Beech	10	S 0 E	53
	do	5	N 27 W	10
11.12.13.14	B. Oak	10	S 9 W	30
	Hickory	6	S 10 E	42
1.2.11.12	B. Oak	12	S 56 E	15
	do	6	N 56 W	12
26.27.34.35	Beech	12	S 70 W	17
	do	12	S 28 E	20
22.23.26.27	Maple	16	N 18 W	14
	Poplar	40	S 45 E	25
14.15.22.23	Dogwood	6	N 21 W	22
	Beech	20	S 44 W	21
10.11.14.15	Beech	10	N 71 E	5
	do	10	S 8 E	30
2.3.10.11	Beech	8	N 14 W	18
	do	8	N 50 W	10
27.28.33.34	Beech	20	S 13 E	45
	do	10	N 1 W	28
21.22.27.28	Sugar	8	N 4 W	19
	Beech	12	N 63 W	25
15.16.21.22	Dogwood	6	S 4 E	2
	Beech	20	N 28 E	34
9.10.15.16	W. Oak	12	S 20 W	34
	Gum	10	N 12 E	23
3.4.9.10	B. Oak	10	S 35 W	16
	Gum	12	N 62 E	21
28.29.32.33	Beech	20	S 87 W	23
	do	6	S 85 E	10
20.21.28.29	Beech	6	S 13 W	9
	do	10	East	17
16.17.20.21	W. Oak	24	N 10 E	16
	do	10	S 29 W	15
8.9.16.17	Beech	6	N 8 W	39
	Hickory	12	S 29 E	10
4.5.8.9	B. Oak	10	N 66 E	18
	W. Walnut	6	N 20 W	30
29.30.31.32	Poplar	40	S 13 E	22
	W. Oak	30	S 84 W	24
19.20.29.30	Beech	20	S 18 W	34
	do	12	N 34 W	34
17.18.19.20	Sugar	12	N 33 W	12
	W. Walnut	8	S 60 W	8
7.8.17.18	Hickory	7	South	7
	W. Oak	6	N 34 W	10
5.6.7.8	Gum	12	S 6 E	50
	W. Oak	12	N 30 W	21

Quarter Section Corners described

From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
M to U at 1.	Beech	12	N 47 W	13
	do	24	N 66 E	27
2.	Beech	8	West	1
3.	Beech	20	N 83 W	47
	do	12	S 56 E	20
4.	Beech	12	N 10 W	8
	do	30	S 58 E	25
5.	Sugar	10	West	22
	Beech	6	N 60 W	11
6.	Sugar	10	S 58 E	15
	do	20	N 51 E	23
L to V at 1.	Sugar	12	S 20 E	5
	Beech	10	N 20 W	40
2.	Beech	20	East	10
3.	Beech	6	S 39 E	4
	do	6	N 49 W	19
4.	W. Oak	20	West	50
5.	Beech	6	Corner tree	
6.	Beech	18	S 73 E	38
	Ironwood	6	S 17 W	14
K to W at 1.	Maple	10	S 15 W	6
	Beech	8	N 23 W	5
2.	Beech	10	N 65 W	19
	do	20	S 65 E	5
3.	W. Oak	20	S 6 E	16
	Beech	6	N 15 E	7
4.	W. Oak	20	N 47 W	10
	Beech	8	S 60 E	5
5.	Beech burch	8	N 89 W	37
	W. Walnut	8	N 13 W	26
6.	Elm	10	N 81 W	29
	W. Ash	20	S 18 E	27

Interior Sectional Corners described — Continued

From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
I to X at 1.	Maple	12	West	50
2.	W. Oak	18	N 84 E	28
	Beech	12	S 61 W	25
3.	B. Oak	6	West	0
	Beech	5	N 5 W	4
4.	W. Oak	6	N 49 W	9
	do	6	S 12 E	11
5.	Elm	10	S 19 W	8
	Beech	8	N 45 W	16
6.	Hickory	12	N 81 E	25
	W. Oak	12	S 61 W	27
H to Y at 1.	B. Oak	6	West	22
	do	20	S 83 E	20
2.	Beech	10	S 73 W	34
	W. Oak	20	N 63 E	25
3.	W. Oak	20	N 82 E	26
	do	20	N 85 W	17
4.	W. Oak	20	N 88 W	25
	Gum	12	N 28 E	10
5.	Beech	12	East	100
	do	8	N 88 E	150
6.	Hickory	6	N 38 E	13
	W. Oak	18	N 62 W	34
O to F at 1.	Sugar	20	S 4 W	17
	Beech	18	S 60 E	6
2.	do	10	S 10 E	16
	Sugar	20	S 23 W	11
3.	Beech	20	N 65 W	12
	Dogwood	6	N 50 E	12
4.	Maple	10	S 19 W	16
	Beech	10	N 36 W	30
5.	B. Oak	10	S 39 W	20
	Hickory	8	N 55 E	5
6.	Gum	10	N 63 W	13
	Hickory	6	S 28 E	9
P to E at 1.	Sassafras	10	S 86 W	5
	do	10	N 75 E	12
2.	Beech	10	N 38 W	14
	do	10	N 30 E	25
3.	Beech	6	N 20 W	30
	do	10	N 42 E	28
4.	Sugar	10	N 42 W	8
	do	10	N 50 E	30
5.	Dogwood	6	N 50 W	12
	Ironwood	6	N 87 E	20
6.	Beech	10	N 28 W	16
	W. Oak	12	S 87 W	16
Q to D at 1.	Beech	10	S 34 W	27
	do	10	N 68 E	31
2.	Beech	10	S 45 W	11
	do	10	N 69 E	16
3.	B. Oak	20	S 10 E	38
	Dogwood	6	N 45 E	10
4.	W. Ash	6	S 29 W	6
	Sassafras	6	S 62 E	9
5.	B. Oak	20	S 3 W	24
	W. Oak	12	S 42 E	22
6.	B. Oak	12	S 30 E	15
	do	10	N 65 W	9
R to C at 1.	Hickory	10	S 56 W	11
	Sugar	6	N 5 W	5
2.	Poplar	12	N 43 W	7
	Sugar	10	S 50 E	25
3.	Beech	8	N 8 E	38
	do	18	S 50 E	9
4.	Beech	18	N 50 W	13
	do	12	S 63 W	26
5.	W. Oak	20	N 31 W	26
	Hickory	6	N 25 E	13
6.	Beech	10	N 15 W	20
	W. Oak	8	S 20 E	9
S to B at 1.	Sugar	6	East	23
	do	20	S 60 W	5
2.	Maple	12	S 16 E	11
	Beech	10	S 88 E	18
3.	W. Oak	10	S 12 E	29
	Dogwood	6	N 43 E	8
4.	Beech	10	S 3 E	18
	do	18	S 67 E	12
5.	Hickory	20	20 E	29
	Beech	10	N 18 W	31
6.	W. Oak	18	S 7 E	29
	do	20	N 83 E	29

Indiana
HQ

T 13 - N

Township № 6 North Range № 2 East 2nd P.M.

Pursuant to a contract with and Instructions from said Mansfield Surveyor General of the United States bearing date the 14th Day of November 1810 I have admeasured laid out and surveyed the above discribed Township and do Certify that it has such marks and bounds both natural and artificial as are represented on said plat and discribed in the field notes made thereof and returned with this plat into the surveyor Generals office.

INDIANA.
N & E 2 P. M.

Certified this 15 Day of June 1814

Arthur Henrie D. Surveyor

(6 N. 2 E.)

Township No 6 North Range No 2 East

Pursuant to a Contract with and Instructions from said Mansfield Surveyor General of the United States bearing date the 14 Day of November 1910 I have admeasured laidout and surveyed the above discribed Township and do Certify that it has such marks and bounds both natural and artificial as are ~~discribed~~ represented on said plat and discribed in the field notes made thereof and returned with this plat into the Surveyor Generals office.

Certified this 12 Day of June 1914 Arthur Lewis Surveyor